

Continue



stemi esco إرشادات غير

25 Aug 2023 The present guideline has been developed to support healthcare professionals in the diagnosis and management of patients presenting with acute coronary syndrome (ACS). The conditions of ST-elevation myocardial infarction (STEMI) and non-ST-elevation ACS (NSTEMI) have been covered separately in previous European Guidelines. For the first time, the present guideline presents recommendations for management of patients across the entire spectrum of ACS in one document. The previous guidelines on STEMI were published in 2017 and the previous guidelines on NSTEMI-ACS were published in 2020. There have been numerous developments in the diagnosis and treatment of patients with ACS in the intervening years, which are reflected in this up-to-date guideline. The current guideline provides a comprehensive overview of the management of patients presenting with ACS, from the point of diagnosis and risk stratification at initial presentation, through to longterm management after the initial hospitalisation period. Particular focus is given to the importance of anti-thrombotic therapy, invasive assessment and revascularisation. This guideline also highlights the importance of providing patient-centred care throughout the patient's ACS journey. Topic(s): Pathophysiology and Mechanisms Epidemiology, Prognosis, Outcome The essentials of the Guidelines in just a few minutes. Watch Insights from the Chairs of the Guidelines Task Force. Read Download ESC Pocket Guidelines App Have the ESC Pocket Guidelines with you all the time. Download for free Back to ESC Guidelines list Make cardiac rehabilitation equally accessible and relevant to all people after an MI, particularly people from groups that are less likely to access this service. These include people from black, Asian and minority ethnic groups, older people, people from lower socioeconomic groups, women, people from rural communities, people with a learning disability and people with mental and physical health conditions. [2007, amended 2013] 25 Aug 2023 The present guideline has been developed to support healthcare professionals in the diagnosis and management of patients presenting with acute coronary syndrome (ACS). The conditions of ST-elevation myocardial infarction (STEMI) and non-ST-elevation ACS (NSTEMI) have been covered separately in previous European Guidelines. For the first time, the present guideline presents recommendations for management of patients across the entire spectrum of ACS in one document. The previous guidelines on STEMI were published in 2017 and the previous guidelines on NSTEMI-ACS were published in 2020. There have been numerous developments in the diagnosis and treatment of patients with ACS in the intervening years, which are reflected in this up-to-date guideline. The current guideline provides a comprehensive overview of the management of patients presenting with ACS, from the point of diagnosis and risk stratification at initial presentation, through to longterm management after the initial hospitalisation period. Particular focus is given to the importance of anti-thrombotic therapy, invasive assessment and revascularisation. This guideline also highlights the importance of providing patient-centred care throughout the patient's ACS journey. Topic(s): Pathophysiology and Mechanisms Epidemiology, Prognosis, Outcome The essentials of the Guidelines in just a few minutes. Watch Insights from the Chairs of the Guidelines Task Force. Read Download ESC Pocket Guidelines App Have the ESC Pocket Guidelines with you all the time. Download for free Back to ESC Guidelines list Make cardiac rehabilitation equally accessible and relevant to all people after an MI, particularly people from groups that are less likely to access this service. These include people from black, Asian and minority ethnic groups, older people, people from lower socioeconomic groups, women, people from rural communities, people with a learning disability and people with mental and physical health conditions. [2007, amended 2013] 25 Aug 2023 The present guideline has been developed to support healthcare professionals in the diagnosis and management of patients presenting with acute coronary syndrome (ACS). The conditions of ST-elevation myocardial infarction (STEMI) and non-ST-elevation ACS (NSTEMI) have been covered separately in previous European Guidelines. For the first time, the present guideline presents recommendations for management of patients across the entire spectrum of ACS in one document. The previous guidelines on STEMI were published in 2017 and the previous guidelines on NSTEMI-ACS were published in 2020. There have been numerous developments in the diagnosis and treatment of patients with ACS in the intervening years, which are reflected in this up-to-date guideline. The current guideline provides a comprehensive overview of the management of patients presenting with ACS, from the point of diagnosis and risk stratification at initial presentation, through to longterm management after the initial hospitalisation period. Particular focus is given to the importance of anti-thrombotic therapy, invasive assessment and revascularisation. This guideline also highlights the importance of providing patient-centred care throughout the patient's ACS journey. Topic(s): Pathophysiology and Mechanisms Epidemiology, Prognosis, Outcome The essentials of the Guidelines in just a few minutes. Watch Insights from the Chairs of the Guidelines Task Force. Read Download ESC Pocket Guidelines App Have the ESC Pocket Guidelines with you all the time. Download for free Back to ESC Guidelines list